# **FUNCTIONAL FOODS: BRIEF INFORMATION**

#### M. M. Youssef

Food. Science & Technology Dept., Fac. of Agric., Alex. Univ., Alexandria, Egypt.

## **ABSTRACT**

Functional foods are those which may provide a health benefit beyond the nutritional nutrients they contain. Confusion exists about how to describe the newly evolving area of food and food technology due to presence of numerous interchangeable or related terms. Epidemiological, *in vivo*, *in vitro* and clinical trial data indicated that a plant based diet can reduce the risk of chronic disease, particularly cancer. Phytochemicals were found to play a key role in this respect. Meanwhile, there are functional foods from animal sources, fish contain omega-3 or n-3 fatty acids, fermented dairy products contain probiotics and beef contains conjugated linoleic acid, are all good examples for such foods. Obviously, there are no "good" or "bad" foods, but there are "good" or "bad" diets. Institutional and market innovation may be as important as technical innovation itself for leveraging the potential of functional foods.

Keywords: functional foods, phytochemicals, chemo preventive agents, designer foods, nutraceuticals, pharma foods.

#### INTRODUCTION

In recent years, functional foods have become part of the common vocabulary and, increasingly, part of the food menu (Kalaitzandonakes, 2000). According to Hasler (1998), the term functional foods was first introduced in Japan in the mid-1980s and refers to processed foods containing ingredients that aid specific bodily functions in addition to being nutritious. Functional foods are defined as any modified food or food ingredient that may provide a health benefit beyond the traditional nutrients it contains (Milner, 1998).

Worldwide the functional foods business may be worth 50 billion Euro market with Europe alone being over 20 billion Euros. It is obvious that functional foods are big business and getting bigger. According to Milner (1998), ingestion of functional foods represents an effective strategy to maximize health and reduce risk of diseases, but they are not magic bullets that are functional under all circumstances. The positive message about foods, and the inclusion rather than exclusion of items from the diet may encourage consumers to be more accepting of this "functional foods" concept.

The point of interest is that there have been both notable successes and failures

in market introductions of functional foods around the globe. According to Kalaitzandonakes (2000), this pattern will likely continue in the short run as consumers, producers and regulators move up the learning curve. In this transitional period, institutional and market innovation may be as important as technical innovation itself for leveraging the potential of functional foods.

## Characteristics of functional foods:

A food can be regarded as "functional" if it is satisfactorily demonstrated to affect beneficially one or more target functions in the body, beyond adequate nutritional effects, in a way that is relevant to either an improved state of health and well-being and/or reduction of risk of diseases (Ashwell, 2002).

Functional foods must remain foods, and they must demonstrate their effects in amounts that can normally be expected to be consumed in the diet. They are not pills or capsules, but part of a normal food pattern. According to Ashwell (2002), the main points of the working definition for functional foods are:

a) Food nature of functional food: it is not a pill, a capsule or any form of dietary supplement.

- b) Demonstration of the effects to the satisfaction of the scientific community.
- c) Beneficial effects on body functions, beyond an adequate nutritional effects, that are relevant to improved state of health and wellbeing and/or reduction of risk (not prevention) of disease.
- d) Consumption as part of a normal food pattern.

Confusion exists about how to describe the "functional foods" as a newly evolving area of food and food technology. Such a confusion is due to presence of numerous interchangeable or related terms that have been suggested or published. These terms include: chemopreventive agents, designer food, functional food, nutraceutical, pharma food and phytochemical. Common to all of the aforementioned terms is the assumption that these foods or components found within them have a potential beneficial role in the prevention and treatment of disease. Other new terms, such as bioengineering, biotechnology and designer foods, relate to the technology available to develop phytochemical-rich food. According to ADA (1993), the aforementioned terms can be differentiated as follows:

## 1- Chemopreventive agent:

Nutritive or non-nutritive food component being scientifically investigated as a potential inhibitor of carcinogenesis for primary and secondary prevention.

## 2- Designer food:

Processed foods that are supplemented with food ingredients naturally rich in disease preventing substances. This may involve genetic engineering of food.

## 3- Functional food:

Any modified food or food ingredient that may provide a health benefit beyond the nutritional nutrients it contains.

#### 4- Nutraceutical:

Any substance that may be considered a food or part of a food and provides

medical or health benefits, including the prevention and treatment of disease.

#### 5- Pharma food:

Food or nutrient that claims medical or health benefits, including the prevention and treatment of disease.

## 6- Phytochemical:

Substances found in edible fruits and vegetables that may be ingested by humans daily in gram quantities and that exhibit a potential for modulating human metabolism in manner favourable for cancer prevention.

## Functions of phytochemicals:

Overwhelming evidence from epidemiological, in vivo, in vitro and clinical trial data indicated that a plant-based diet can reduce the risk of chronic diseases, particularly cancer. It is now clear that there are component in a plant-based diet other than traditional nutrients that can reduce cancer risk. More than a dozen classes of these biologically active plant chemicals now known as "phytochemicals" (Steinmetz and Potter, 1991, Block et al., 1992 Jenkins, 1993, ADA, 1995, Howard & Kritchevsky, 1997, Ashwell, 2002).

The main components that may provide health benefits for human are given in Table (1) along with their main sources and potential benefits. As it can be seen, the most important phytochemicals in foods from plant sources include carotenoids, dietary fibers, flavonoids, glucosinolates, indoles, isothiocyanates, phenols, plant sterols, saponins, soy protein, phytoestrogens, sulfides' thiols and tannins.

## Functional foods from animal sources:

Although the vast number of naturally occurring health-enhancing substances are of plant origin, there are a number of physiologically – active components in animal products that deserve attention for their potential role in optimal health: fish contain omega-3 (n-3) fatty acids; fermented dairy products contain probiotics and beef contains linoleic acid are good examples for functional foods from

Table 1. The most important food components that may provide health benefits for human along with their main sources and potential benefits

Component	Source	Potential Benefits
Carotenoide		
Alpha-carotene	Carrots	• neutralizes free radicals which may cause damage to cells
Beta-carotene	Various fruits, vegetables	neutralizes free radicals
Lutein	Green vegetables	<ul> <li>contributes to maintenance of healthy vision</li> </ul>
Lycopene	Tomatoes and tomato products (ketchup, Sauces, tec.)	may reduce risk of prostate concer
Zeaxanthin	Eggs, citrus, corn	contributes to maintenance of healthy vision
Collagen Hydrolysate		
Collagen Hydrolysate	Gelatine	may help improve some symptoms associated with osteoarthritis
Dietary fiber		
Insoluble fiber	Wheat bran	may reduce risk of breast and/or colon cancer
Beta glucan	Oats	<ul> <li>reduces risk of cardiovascular disease (CM)</li> </ul>
Soluble fiber	Psyllium	<ul> <li>reduces risk of CVD</li> </ul>
Whole grains	Cereal grains	reduces risk of CVD
Fatty acids		
Omega-3 DHA/EPA	Tuna, fish and marine oils	• may reduce risk of CM & improve mental, visual functions
Conjugated linoleic acid	Cheese, meat products	may improve body composition, may decrease risk of certain cancers
Flavonoids		
Anthocyanidins	Fuits	neutralizes free radicals, may reduce risk of cancer
Catechins	Tea	<ul> <li>neutralizes free radicals, may reduce risk of cancer</li> </ul>
Flavanones	Citrus	<ul> <li>neutralizes free radicals, may reduce risk of cancer</li> </ul>
Flavones	Fruits/vegetables	<ul> <li>neutralizes free radicals, may reduce risk of cancer</li> </ul>
Glucosinolates, indoles,	•	• · · · · · · · · · · · · · · · · · · ·
Sulphoraphane	Cruciferous vegetables (broccoli, kale, horseradish)	neutralizes free radicals, may reduce risk of cancer
Phenols		
Caffeic acid	Fruits, vegetables, citrus	antioxidant-like activities, may reduce risk of degenerative diseases, heart disease, eye disease
Plant sterols		
Stanol ester	Corn, soy, wheat, wood oils	lowers blood cholesterol levels by inhibiting cholesterol absorption
Prebiotics/Probiotics		
Fructo-oligosaccharides	Jerusalem artichokes, shallots, onion powder	may improve gastrointestinal health
Lactobacillus	Yogurt, other dairy	may improve gastrointestinal health
Saponins	Section of the sectio	and anterest functional matter
Saponins	Soybeans, soy foods	• may lower LDL Cholesterol; contains anti-cancer enzymes
Say protein	Soy protein-containing foods	
Sov protein	Soybeans and soy-based foods	• 25 grams per day may reduce risk of heart disease
Phytoestrogens	only manuse ment only industrational	- may gradity per day may reduce fisk of heart disease
Isoflavones	Soybeans and soy-based foods	may reduce menopause symptoms, such as hot flashes
Lignans	flax, lye, vegetables	may protect against heart disease and some cancers     lowers LDL cholesterol, total cholesterol and triglyceride
Sulfides/Thiols		- towers with characteric total characteristic and trigity certific
Nolled colfida Albel	Philippe wasting after the	And the second s
Diallyl sulfide Allyl Allylmethyl trisulfide. Dithiolthiones	Onions, garlic, olives, leeks, cruciferous vegetables	<ul> <li>lowers LDL cholesterol, maintains healthy immune system</li> <li>lowers LDL cholesterol, maintains healthy immune system</li> </ul>
l'annins		•
Proanthocynidins	Cranberries, cranberry products cocoa, chocolate	may improve urinary tract health     may reduce risk of CVD

Ref.: Anonymous (2004).

animal sources. Omega-3 (n-3) fatty acids may play an important role in decline the risk of CVD (Cardiovascular diseases) and derived primarily from fish oil (Hasler, 1998). Notwithstanding, probiotics present in the fermented dairy products are live microbial feed supplements which beneficially affect the host animal by improving its intestinal microbial balance (Fuller, 1994). Conjugated linoleic acid (CLA) largely present in beef is considered as an anticarcinogenic fatty acid. More recently, CLA has been investigated for its ability to change body composition. suggesting a role as a weight reduction agent. Mice fed CAL supplemented diets (0.5%) exhibited 66% lower body fat and 14% increased lean body mass relative to controls (Park et al., 1997), possible by reducing fat deposition and increasing lipolysis in adipocytes.

### REFERENCES

- ADA 1993. Position of the American Dietetic Association: biotechnology and future of food. J. Am. Diet Assoc., 93: 189-192.
- ADA **1995**. Position of the American Dietetic Association: biotechnology and future of food. J. Am. Diet Assoc., **95**: 493-496.
- Anonymous **2004**. Examples of functional components Esha Research Company (PDF file). http://download.esha.com./docs/functional.

- Ashwell, A. 2002. Concepts of functional foods. The International Life Sciences Institute (ILSI) Europe Concise Monograph Series, pp.: 1-39 ILSI Europe, Belgium.
- Block, B., Patterson, B. & Subar, A. 1992. Fruits, vegetables and cancer prevention: A review of the epidemiological evidence. Nutr. Cancer, 18: 1-29.
- Fuller, R. 1994. History and development of probiotics. In: Probiotics. (ed. R. Fuller). pp.: 1-8. Chapman & Hall. N.Y.
- Hasler, C.M. **1998**. Functional foods: Their role in disease prevention and health promotion. Food Tehenol., **52**: 63-70.
- Howard, B.V. & Kritchevsky, D. 1997. Phytochemicals and cardiovascular disease. A statement for health care professionals from the American Heart Association. Circulation, 95: 2591-2593.
- Jenkins, M.L.Y. 1993. Research issues in evaluating "functional foods". Food Technol., 47: 76-79.
- Kalaitzandonakes, N. 2000. Functional foods: Technological, institutional and market innovation. Ag Bio Forum, 3: 1-2.
- Milner, J.A. **1998**. Do "functional foods" offer opportunities to optimize nutrition and health? Food Technol., **52**: 24.
- Park, Y., Albrigh, K.J., Liu, W., Storkson, J.M., Cook, M.E., & Pariza, M.W. 1997. Effect of conjugated linoleic acid on body composition in mice. Lipids, 32: 853-858.
- Steinmetz, K.A. & Potter, J.A. 1991. Vegetables, fruits and cancer. II. Mechanisms. Cancer Causes Control, 2: 427-442.

# الأغذبة الوظيفية : نبذة مختصرة

محمد محمود يوسف قسم علوم وتكنولوچيا الأغذية - كلية الزراعة جامعة الإسكندرية، ٢١٥٤٥ - الشاطبي الإسكندرية - جمهورية مصر العربية

الأغذية الوظيفية هي تلك الأغذية التي تتميز بفوائدها الصحية علاوة على ما تحتويه من مغذيات. هناك ثمة تداخلات بين مصطلح «الأغذية الوظيفية» ومصطلحات أخرى مشابهة في مجال الغذاء وتقنيات الغذاء. ولقد أوضحت الدراسات الوبائية والدراسات باستخدام حيوانات التجارب والدراسات المعملية والطبية أن الأغذية النباتية تقلل من عامل المجازفة بالإصابة بالأمراض المزمنة وخاصة السرطان. وتبين أن مركبات الفيتو النباتية تلعب دوراً رئيسياً في هذا الصدد. ولاحتواء الأسماك على الأحماض الدهنية أوميجا ٣، والمنتجات اللبنية المتخمرة على محفزات حيوية Probiotics واحتواء لحم البقر على حامض اللينولييك فإن هذه الأغذية ذات المصدر الحيواني تندرج أيضاً تحت مسمى الأغذية الوظيفية. تجدر الإشارة إلى حقيقة مفادها أنه لا يوجد غذاء «جيد» وغذاء «سيئ» ولكن توجد وجبات «جيدة» ووجبات «سيئة». ثمة ملاحظة مهاده ألا وهي أن عملية الابتكار في مجال التسويق تعتبر على ذات الدرجة من الأهمية للابتكارات التقنية إذا ما أردنا زيادة تسويق الأغذية الوظيفية وانتشارها.