## المستخلص

حصر لأهم الآفات والمفترسات المرتبطة ببعض النباتات الطبية والزينة. دراسة التذبذب التعدادى لأهم الآفات والمفترسات. دراسة تأثير بعض المركبات الآمنة على خفض تعداد بعض الآفات التي تصيب النباتات الطبية والزينة في المعمل والحقل.

تقدير كفاءة بعض المفترسات الحشرية والاكاروسية (الأعداء الطبيعية) على خفض تعداد بعض الآفات التي تصيب النباتات الطبية والزينة .

## **Contents**

	INTRODUCTION	1
	REVIEW OF LITERATURE	4
1	Survey studies on some piercing sucking pests and predators associated with some medicinal and ornamental plants:	4
2	Population Fluctuation of major pests and predators associated with some medicinal and ornamental plants:	12
3	Studies of the efficacy of some control agents on some pests and predators associated with some medicinal and ornamental plants (under laboratory and field conditions)	22
4	Role of some predators on the reduction of infestation to some pests attacking some medicinal and ornamental plants	34
	MATERIAL AND METHODS	43
	RESULTS	59
I.	Survey of some insects and mites (pests and predators) associated with different medicinal and ornamental plants	59
2	Population studies	100
2.1	Population fluctuation of major insect and mite pests and predators on peppermint plants:	100
2.2	Population fluctuation of major insect and mite pests and predators on dill plants	130
2.3	Population fluctuation of major insect and mite pests and predators on marigold plants.	149
3-	Evaluation of certain compounds against different predators and pests associated with some medicinal and ornamental plants under laboratory and field conditions	161

A-	Under laboratory condition	161
3.1	Efficiency of certain compounds against <i>Aphis craccivora</i> on dill plants, 24 hours following aphid treatment	161
3.2	Efficiency of certain compounds against adults of <i>Coccinella undecimpunctata</i> , 24 hours following the treatment	162
3.3	Efficiency of certain compounds against adults of <i>Tetranychus urticae</i> Koch and the predatory mite <i>phytoseiulus persimilis</i> on peppermint plants	168
3.4	Efficiency of certain compounds against <i>Brevipalpus obovatus</i> and the mite predator <i>Agistemus exsertus</i> :, 24 hours following the treatment	172
B.	Under field conditions	175
	Evaluation of certain pesticides against different pests infesting various plants under field conditions during 2007 season	175
1.	Effect of Crater and Ashook on the reduction of aphid species infesting dill plants	175
2.	Effect of Crater and Ashook on <i>Tetranychus urtica</i> movable stages infesting marigold plants	177
3.	Effect of Crater and Ashook on the reduction of <i>Brevipalpus obovatus</i> infesting peppermint plants	179
4-	Evaluation of some predators on the reduction of some pests attacking some medicinal and ornamental plants:	182

4.1.	Release of Coccinella undecimpunctata against Brevicoryne brassicae on dill plants	182
4.2.	Release of <i>Phytoseiulus persimilis</i> (with three levels) to control movable stages of <i>Tetranytchu surticae</i> on marigold plants.	183
4.3.	Estimation of the food consumption and food capacity of the predator mite Agistemus exsertus reared on Brevipalpus obovatus.	187
	DISCUSSION	189
	SUMMARY	227
	REFERENCES	244