EFFECT OF BIOFERTILIZATION AND AMINO ACIDS APPLICATION ON MINIMIZING N AND P MINERAL FERTILIZATION LEVELS FOR STRAWBERRY PLANTS

By

HEBA HANAFY MOHAMED MOHAMED

B.Sc. Agric. Sc., (Horticulture), Ain Shams University, 2004 M.Sc. Agric. Sc., (Vegetable Crops), Ain Shams University, 2010

A thesis submitted in partial fulfillment of the requirements for the degree of

in
Agricultural Science
(Vegetable Crops)

Department of Horticulture Faculty of Agriculture Ain Shams University

ABSTRACT

Heba Hanafy Mohamed Mohamed: Effect of Biofertilization and Amino Acids Application on Minimizing N and P Mineral Fertilization Levels for Strawberry Plants. Unpublished Ph.D. Thesis, Department of Horticulture, Faculty of Agriculture, Ain Shams University, 2016.

This study was carried out during the two successive seasons of 2010/2011 and 2011/2012 at Ismailia Governorate, Egypt. The aim of the study was to investigate the effect of minimizing N and P mineral fertilization levels and using biofertilizer application and amino acids on yield and fruit quality of strawberry plants. Fresh transplants were used in a split split design with three replicates was adopted. The main plots were assigned to the mineral NP fertilization levels, i.e., 100%, 75% and 50%, while the sub - plots were for biofertilizer application i.e., with biofertilizers (Bacillus megaterium var phosphaticum and Azotobacter *chroococcum*) and without biofertilizer. The sub- sub - plots were for amino acids foliar spray, i.e., with or without amino acids. Results indicated that the highest values of crown diameter, chlorophyll, N, P, TSS and ascorbic acid contents were obtained from using 100% of the recommended NP level of mineral fertilizers plus biofertilizers and amino acids at 1.5 g/l in the two growing seasons. Data also concluded that using 75% of the recommended NP level of mineral fertilizers had higher significant increments in early, total yield, chlorophyll content, N, and ascorbic acid in the two tested seasons. Moreover, Festival c.v plants treated with biofertilizers and amino acids gave the highest values in early and total yield in both seasons. Data showed that fertilizing the plants with mineral fertilizers (NP) at 50% of the recommended dose gave the lowest nitrate content of fruits in the two tested seasons.

Key words: Strawberry, mineral fertilization, biofertilizer, amino acid, yield, quality.

LIST OF TABLES

]	Page
Table (A): Chemical analyses of the used amino acids (Amino	
Zeid)	23
Table (B): Physical and chemical analysis of the soil of	
experimental site	24
Table (C): Average temperatures during the growing periods under	
Ismailia Governorate conditions	28
Table (1): Main effect of mineral fertilization, biofertilizers and	
amino acids on number of leaves and average leaf area	
during 2010/2011 and 2011/2012	30
Table (2): Effect of the first degree of interaction among mineral	
fertilization, biofertilizer and amino acids on number of	
leaves and average leaf area during 2010/2011 and	
2011/2012	31
Table (3): Effect of the interaction among mineral fertilization,	
biofertilizer and amino acids on number of leaves and	
average leaf area during 2010/2011 and 2011/2012	33
Table (4): Main effect of mineral fertilization, biofertilizers and	
amino acids on crown diameter and plant height during	34
2010/2011 and 2011/2012	
Table (5): Effect of the first degree of interaction among mineral	
fertilization, biofertilizer and amino acids on crown	
diameter and plant height during 2010/2011 and	
2011/2012	36
Table (6): Effect of the second degree of interaction among	
mineral fertilization, biofertilizer and amino acids on	
crown diameter and plant height during 2010/2011 and	
2011/2012	37

		Page
Table (7):	Main effect of mineral fertilization, biofertilizers and	
	amino acids on Number of secondary crowns and	
	inflorescences during 2010/2011 and 2011/2012	38
Table (8):	Effect of the first degree of interaction among mineral	
	fertilization, biofertilizer and amino acids on number of	
	secondary crowns and inflorescences during 2010/2011	
	and 2011/2012	40
Table(9):	Effect of the second degree of interaction among	
	mineral fertilization, biofertilizer and amino acids on	
	number of secondary crowns and inflorescences during	
	2010/2011 and 2011/2012	42
Table(10)	: Main effect of mineral fertilization, biofertilizer and	
	amino acids on fresh and dry weight during $2010/2011$	
	and 2011/2012	43
Table(11)	: Effect of the first degree of interaction among of	
	mineral fertilization, biofertilizers and amino acids on	
	fresh and dry weight during $2010/2011$ and $2011/2012$	45
Table(12)	: Effect of the second degree of interaction among	
	mineral fertilization, biofertilizers and amino acids on	
	fresh and dry weight during $2010/2011$ and $2011/2012 \$	47
Table(13):	Main effect of mineral fertilization, biofertilizer and	
	amino acids on chlorophyll content, nitrogen and	
	phosphorus / plant during 2010/2011 and 2011/2012	48
Table(14):	Effect of the first degree of interaction among mineral	
	fertilization, biofertilizer and amino acids on	
	chlorophyll content, nitrogen and phosphorus / plant	
	during 2010/2011 and 2011/2012	51

	Page
Table(15): Effect of the second degree of interaction among	
mineral fertilization, biofertilizer and amino acids on	
chlorophyll content, nitrogen and phosphorus/ plant	
during 2010/2011 and 2011/2012	53
Table(16): Main effect of mineral fertilization, biofertilizer and	
amino acids on early and total yield during 2010/2011	
and 2011/2012	55
Table(17): Effect of the first degree of interaction among mineral	
fertilization, biofertilizer and amino acids on early and	
total yield during 2010/2011 and 2011/2012	57
Table(18): Effect of the second degree of interaction among	
mineral fertilization, biofertilizer and amino acids on	
early and total yield during 2010/2011 and	
2011/2012	59
Table(19): Main effect of mineral fertilization, biofertilizer and	
amino acids on fruit weight and fruit firmness during	
2010/2011 and 2011/2012	60
Table(20): Effect of the first order interactions among mineral	
fertilization, biofertilizer and amino acids on fruit	
weight and fruit firmness during 2010/2011 and	
2011/2012	62
Table(21): Effect of the second degree of interaction among	
mineral fertilization, biofertilizer and amino acids on	
fruit weight and fruit firmness during 2010/2011 and	
2011/2012	64
Table(22): Main effect of mineral fertilization, biofertilizer and	
amino acids on total soluble solid, total titratable acidity	
and Total soluble solids / titratable acidity ratio during	
2010/2011 and 2011/2012	65

	Page
Table(23): Main effect of mineral fertilization, biofertilizer and	
amino acid on ascorbic acid, and nitrate content of	
fruits during 2010/2011 and 2011/2012	67
Table(24): Main effect of mineral fertilization, biofertilizer and	
amino acids on total and reducing sugars during	
2010/2011 and 2011/2012	68
Table(25): Effect of the first degree of interaction among mineral	
fertilization, biofertilizer and amino acids on total	
soluble solid, total titratable acidity and total soluble	
solids / titratable acidity ratio during 2010/2011 and	
2011/2012	70
Table(26): Effect of the first degree of interaction among mineral	
fertilization, biofertilizer and amino acids on ascorbic	
acid, pH of juice and nitrate content of fruits during	
2010/2011 and 2011/2012	72
Table(27): Effect of the first degree of interaction among mineral	
fertilization, biofertilizer and amino acids on total and	
reducing sugars during 2010/2011 and 2011/2012	74
Table(28): Effect of the second degree of interaction among	
mineral fertilization, biofertilizer and amino acids on	
total soluble solid, total titratable acidity and total	
soluble solids / titratable acidity ratio during 2010/2011	
and 2011/2012	75
Table(29): Effect of the second degree of interaction among	
mineral fertilization, biofertilizer and amino acids on	
ascorbic acid, pH of juice and nitrate content of fruits	
during 2010/2011 and 2011/2012	76
Table(30): Effect of the second degree of interaction among mineral	
fertilization, biofertilizer and amino acids on total and	
reducing sugars during 2010/2011 and 2011/2012	77

LIST OF FIGURES

	F	Page
Fig. (1):	Main effect of mineral fertilization levels (N&P),	
	biofertilizers and amino acids on average fruit weight per	
	plant of strawberry, in (2010/2011 and 2011/2012)	60
Fig. (2):	Main effect of mineral fertilization levels (N&P),	
	biofertilizers and amino acids on fruit firmness of	
	strawberries, in (2010/2011 and 2011/2012)	61
Fig. (3):	Main effect of mineral fertilization levels (N&P),	
	biofertilizers and amino acids on TSS / Acid. ratio of	
	strawberries in(2010/2011and2011/2012)	66

LIST OF ABREVIATIONS

AA : Amino Acids

AMF : ArbuscularMycorrhizalFungi

Bio : Biofertilizers

FYM: Farm Yard Manure

NP : Nitrogen and Phosphorus

PSB: Phosphate Solubilizing Bacteria

RNPF: RecommendedNitrogen and Phosphorus Fertilizer

CONTENTS

	Pag
I. INTRODUCTION	1
II.REVIEW OF LITERATURE	3
2.1. Vegetative growth characteristics	3
2.1.1. Effect of NP fertilization.	3
2.1.2. Effect of biofertilization	4
2.1.3. Effect of the combination of NP and biofertilization	5
2.1.4. Effect of amino acids	6
2.2. Chemical constituents of plant foliage.	9
2.2.1. Photosynthetic pigments.	9
2.2.1.1. Effect of NP fertilization	9
2.2.1.2. Effect of biofertilization	10
2.2.1.3. Effect of the combination of NP and biofertilization	10
2.2.1.4. Effect of amino acids	11
2.2.2. Mineral constituents	11
2.2.2.1. Effect of NP fertilization	11
2.2.2.2. Effect of biofertilization.	12
2.2.2.3. Effect of the combination of NP and biofertilization	12
2.2.2.4. Effect of amino acids	13
2.3. Total fruit yield and its components	14
2.3.1. Effect of NP fertilization.	14
2.3.2. Effect of biofertilization	15
2.3.3. Effect of the combination of NP and biofertilization	16
2.3.4. Effect of amino acids	17
2.4. Fruit components	18
2.4.1. Effect of NP fertilization	18
2.4.2. Effect of biofertilization.	19
2.4.3. Effect of the combination of NP and biofertilization	19
2.4.4 Effect of amino acids	20

	Page
III. MATERIALS AND METHODS	22
3.1. Vegetative growth characteristics	25
3.1.1. Number of leaves / plant	25
3.1.2. Average leaf area	25
3.1.3. Crown diameter/ plant	25
3.1.4. Number of secondary crowns/plant	25
3.1.5. Plant height / plant	25
3.1.6. Number of inflorescences / plant	25
3.1.7. Fresh weight / plant	25
3.1.8. Dry weight / plant	25
3.2. Chemical composition of plant foliage	25
3.2.1. Chlorophyll content	25
3.2.2. Nitrogen content	26
3.2.3. Phosphorus content	26
3.3. Yield and its components	26
3.3.1. Early yield/ plant	26
3.3.2. Total yield/ plant	26
3.4. Fruit components	26
3.4.1. Physical quality.	26
3.4.1.1. Fruit weight	26
3.4.1.2. Fruit firmness	26
3.4.2. Chemical quality	27
3.4.2.1. Total soluble solids contents (TSS)	27
3.4.2.2. Titrable acidity (TA)	27
3.4.2.3. Total soluble solids / titrable acidity (TSS / acid)	27
3.4.2.4. Ascorbic acid content	27
3.4.2.5. Total and reducing sugars.	27
3.4.2.6. The pH of juice	27
3.4.2.7. Nitrate content	28
3.5. Statistical analysis.	28

	Page
4. RESULTS AND DISCUSSION	29
4.1. Vegetative growth characteristics	29
4.1.1. The main effect of mineral fertilization, biofertilizer and	
amino acids on vegetative growth characteristics	29
4.1.1.1. Number of leaves / plant	29
4.1.1.2. Average leaf area	30
4.1.2 Effect of the first degree of interaction among mineral	
fertilization, biofertilizer and amino acids on number of	
leaves and average leaf area	31
4.1.2.1. Number of leaves / plant	31
4.1.2.2. Average leaf area	32
4.1.3 Effect of the second degree of interaction among mineral	
fertilization, biofertilizer and amino acids on number of	
leaves and average leaf area	32
4.1.3.1. Number of leaves / plant	32
4.1.3.2. Average leaf area	33
4.1.1. The main effect of mineral fertilization, biofertilizer and	
amino acids on crown diameter and plant height	34
4.1.1.3. Crown diameter	34
4.1.1.4. Plant height	35
4.1.2. Effect of the first degree of interaction among mineral	
fertilization, biofertilizer and amino acids on crown	
diameter and plant height	35
4.1.2.3. Crown diameter	35
4.1.2.4. Plant height	36
4.1.3. Effect of the second degree of interaction among mineral	
fertilization, biofertilizer and amino acids on crown	
diameter and plant height	37
4.1.3.3. Crown diameter	37
4.1.3.4. Plant height	38
4.1.1. The main effect of mineral fertilization, biofertilizer and	38

	Page
amino acids on number of secondary crowns and	
inflorescences	
4.1.1.5. Number of secondary crowns / plant	38
4.1.1.6. Number of inflorescences	39
4.1.2. Effect of the first degree of interaction among mineral	
fertilization, biofertilizer and amino acids on number of	
secondary crowns and inflorescences.	39
4.1.2.5. Number of secondary crowns/plant	39
4.1.2.6. Number of inflorescences per plant	40
4.1.3. Effect of the second degree of interaction among mineral	
fertilization, biofertilizer and amino acids on number of	
secondary crowns and inflorescences.	41
4.1.3.5. Number of secondary crowns/plant	41
4.1.3.6. Number of inflorescences per plant	41
4.1.1. Main effect of mineral fertilization, biofertilizer and amino	
acids on fresh and dry weight	42
4.1.1.7. Fresh weight/plant.	42
4.1.1.8. Dry weight/plant	43
4.1.2. Effect of the first degree of interaction among mineral	
fertilization, biofertilizer and amino acids on fresh and dry	
weight	45
4.1.2.7. Fresh weight/plant.	45
4.1.2.8. Dry weight/plant	46
4.1.3. Effect of the second degree of interaction among mineral	
fertilization, biofertilizer and amino acids on fresh and dry	
weight	46
4.1.3.7. Fresh weight/plant	46
4.1.3.8. Dry weight/plant	47
4.2.1. The main effect of mineral fertilization, biofertilizer and	
amino acids on Chemical composition of plant foliage	47
4.2.1.1. Chlorophyll content	47

	Page
4.2.1.2. Nitrogen content.	49
4.2.1.3. Phosphorus content	49
4.2.2. Effect of the first degree of interaction among mineral	
fertilization, biofertilizer and amino acids on chlorophyll	
content, nitrogenous and phosphorus	51
4.2.2.1. Chlorophyll content	51
4.2.2.2. Nitrogen content	52
4.2.2.3. Phosphorus content	52
4.2.3. Effect of the second degree of interaction among mineral	
fertilization, biofertilizer and amino acids on chlorophyll	
content, nitrogenous and phosphorus	53
4.2.3.1. Chlorophyll content	53
4.2.3.2. Nitrogen content	54
4.2.3.3. Phosphorus content	54
4.3. Yield and its components	54
4.3.1. Main effect of mineral fertilization, biofertilizer and amino	
acids on early and total yield	54
4.3.1.1. Early yield/plant	54
4.3.1.2. Total yield/plant	55
4.3.2. Effect of the first degree of interaction among mineral	
fertilization, biofertilizer and amino acids on early and total	
yield	56
4.3.2.1. Early yield/plant	56
4.3.2.2. Total yield/plant	58
4.3.3. Effect of the second degree of interaction among mineral	
fertilization, biofertilizer and amino acids on early and total	
yield	58
4.3.3.1. Early yield/plant	58
4.3.3.2. Total yield/plant	59
4.4. Fruit components	
4.4.1. Physical quality	59

	Page
4.4.1.1. Main effect of mineral fertilization, biofertilizer and	
amino acids on fruit weight and fruit firmness	59
4.4.1.1.1. Fruit weight	59
4.4.1.1.2. Fruit firmness	61
4.4.1.2. Effect of the first degree of interaction among mineral	
fertilization, biofertilizer and amino acids on fruit weight	
and fruit firmness	62
4.4.1.2.1. Fruit weight	62
4.4.1.2.2. Fruit firmness	63
4.4.1.3. Effect of the second degree of interaction among mineral	
fertilization, biofertilizer and amino acids on fruit weight	
and fruit firmness	64
4.4.1.3.1. Fruit weight	64
4.4.1.3.2. Fruit firmness	64
4.4.2. Chemical quality.	65
4.4.2.1. Main effect of mineral fertilization, biofertilizer and	
amino acids on chemical quality	65
4.4.2.1.1. Total soluble solids (T.S.S.)	65
4.4.2.1.2. Total titratable acidity (T.T.A)	66
4.4.2.1.3. Total soluble solids / titratable acidity ratio	
(TSS/acid)	66
4.4.2.1.4. Ascorbic acid content.	67
4.4.2.1.5. The pH of juice	68
4.4.2.1.6. Nitrate content	68
4.4.2.1.7. Total and reducing sugars	68
4.4.2.2. Effect of the first degree of interaction among mineral	
fertilization, biofertilizer and amino acids on chemical	
quality	69
4.4.2.2.1. Total soluble solids (T.S.S.)	69
4.4.2.2.2. Total titratable acidity (T.T.A)	70

	Page
4.4.2.2.3. Total soluble solids /titratable acidity ratio	
(TSS/acid)	71
4.4.2.2.4. Ascorbic acid content	71
4.4.2.2.5. The pH of juice	72
4.4.2.2.6. Nitrate content	73
4.4.2.2.7. Total and reducing sugars	73
4.4.2.3. Effect of the second degree of interaction among mineral	
fertilization, biofertilizer and amino acids on chemical	
quality	75
4.4.2.2.1. Total soluble solids (T.S.S.)	75
4.4.2.2.2. Total titratable acidity (T.T.A)	75
4.4.2.2.3. Total soluble solids /titratable acidity ratio (TSS/acid)	76
4.4.2.2.4. Ascorbic acid content	76
4.4.2.2.5. The pH of juice	76
4.4.2.2.6. Nitrate content	77
4.4.2.2.7. Total and reducing sugars	77
V. SUMMARY AND CONCLUSION	79
VI. REFERENCES	84
VII. ARABIC SUMMARY	