

كلية العلوم

الدراسات العليا والبحوث

إسم الباحث: أمال إبراهيم أبو زيد

الدرجة العلمية: دكتوارة.

القسم : الحشرات.

التخصص: الحشرات.

لجنة الحكم والمناقشة:

أ.د. محمود السيد النجار نائب مدير مركز البحوث الزراعية

تاريخ منح مجلس الكلية:

تاريخ منح مجلس الجامعة:

عنوان الرسالة باللغة العربي: دراسة أحد عناصر مكافحة الحيوية لمكافحة بعض آفات القطن

والفول البلدي في مصر

ملخص الرسالة: دراسة أحد المفترسات العنكبوتية علي الآفات التي تصيب القطن والفول البلدي في مصر-

تم حصر لهذه الآفات والعنكبوت المفترس وسرعة التذبذب لكل منهما وعلاقة العائلات

العنكبوتية بالآفات كما تم دراسة تأثير بدائل المبيدات علي العنكبوت المفترس والتحليل

البيوكيماوي (البروتين الكلي وشرائط البروتين) علي العنكبوت المفترس المتأثر بفعل

المركبات البديلة ومجموعات التغذية المختلفة.

Abstract: Study of predatory spider on some cotton and broad bean in Egypt- Ecological studies (occurrence- seasonal abundance- association between the predatory spider and their prey), study the effect of some alternative pesticides on the predatory spider and study the biochemical analysis of appear the total protein and protein bands on predatory spider which affect by alternative pesticides and different feeding groups.

يعتمد

CONTENTS

	Pag e
I. INTRODUCTION.....	1
II. REVIEW OF LITERATURE.....	3
1. Seasonal abundance of predatory spiders.....	3
2. Seasonal abundance of <i>S. littoralis</i> (Boisd.), <i>A. craccivora</i> (Koch.), <i>A. gossypii</i> (Glover) and <i>T. urticae</i> (Koch.).....	10
3. Biological studies.....	14
4. Toxicity of some alternative pesticides on predatory spiders.....	15
...	15
5. Effect of some alternative pesticides on total protein and protein bands.....	17
III. MATERIAL AND METHODS.....	20
1. Seasonal abundance of the spiders and their preys during successive seasons of cotton and broad bean plants.....	20
A. Estimation of spider populations.....	20
B. Estimation of <i>S. littoralis</i> populations.....	20
C. Estimation of Aphids populations: <i>Aphis craccivora</i> in broad bean plants and <i>Aphis gossypii</i> in cotton plants.	21

D. Estimation of phytophagous mite populations.....	21
2. Biological studies.....	21
A. Spider's rearing.....	21
B. Spider's food.....	21
C. Prey's rearing.....	22
3. Toxicological of alternative pesticides.....	23
4. Biochemical studies.....	24
1. Tissue preparation.....	24
2. Determination of total protein.....	24
3. Separation of protein bands by electrophoresis (using SDS-PAGE).....	25
5. Statistical analysis.....	25
IV. RESULTS AND DISCUSSION.....	26
1. Ecological studies.....	26
1.1. Occurrence of spider families collected from broad bean and cotton	26

crops.....	
1.1.1.Occurrence of spiders families in Qaha Station.....	26
1.1.2.Occurrence of spiders families in Seds Station.....	31
1.2. The percentage of spider families and occurrence of their species their families during two successive years...	31
1.2.1. In Qaha Station (2003/2004).....	31
1.2.2. In Qaha Station (2004/2005).....	39
1.2.3. In Seds Station (2003/2004).....	42
1.2.4. In Seds Station (2004/2005).....	45
Seasonal abundance.....	49
1.3.1.Population density of predatory spider and their preys (<i>Spodoptera littoralis</i> , <i>Aphis craccivora</i> and <i>Tetranychus urticae</i>) which collected from broad bean plants at Qaha Station during two successive years (2003-2004) and (2004-2005).....	49
1.3.2. Population density of predatory spider and their preys (<i>Spodoptera littoralis</i> , <i>Aphis gossypii</i> and <i>Tetranychus urticae</i>) which collected from cotton plants at Qaha Station during two successive years (2004) and	53

(2005).....	
1.3.3. Population density of predatory spider and their preys (<i>Spodoptera littoralis</i> , <i>Aphis craccivora</i> and <i>Tetranychus urticae</i>) which collected from broad bean plants at Seds Station during two successive years (2003-2004) and (2004-2005).....	53
1.3.4. Population density of predatory spider and their preys (<i>Spodoptera littoralis</i> , <i>Aphis gossypii</i> and <i>Tetranychus urticae</i>) which collected from cotton plants at Seds Station during two successive years (2004) and (2005)).....	57
1.4. Association of spider families and preys on broad bean and cotton plants during two successive years (2003-2004) and (2004-2005) at two stations (Qaha and Seds).....	65
1.4.1. Association of spider families and preys on broad bean and cotton plants during (2003-2004) at Qaha Station.....	65
...	
a) Broad bean.....	65
b) Cotton.....	65
1.4.2. Association of spider families and preys on broad bean and cotton plants during (2004-2005) at	69

Qaha	
Station.....	
...	
a) Broad	
bean.....	69
b)	
Cotton.....	69
1.4.3. Association of spider families and preys on	
broad bean and cotton plants during (2004-2005) at	
Kaha	
Station.....	
...	73
a) Broad	
bean.....	73
b) Cotton.....	73
1.4.4. Association of spider families and preys on	
broad bean and cotton plants during (2004-2005) at	
Seds	
Station.....	
...	77
a) Broad	
bean.....	77
b) Cotton.....	77
1.5.Average number of spiders' predators and their	
families from broad bean and cotton plants during two	
successive years (2003-2004) and (2004-2205) at Kaha	
and Seds Stations	82
2. Biological	90

studies.....	
3. Toxicity of some alternative pesticides on adults (females and male).....	103
4. Biochemical study to investigate the effect of nutrition and alternative pesticide on total protein and protein bands in adult spiders.....	109
...	
4.1. Total protein content.....	109
4.2. Refraction of protein patterns.....	109
4.2.1. The effect of treated the adult of (<i>T. abini</i>) with alternative pesticides on its protein bands molecular weight.....	112
4.2.2. Molecular weight of protein bands for adult (<i>T. abini</i>) which feeding on different prey.....	112
V. SUMMARY.....	123
VI. REFERENCES.....	127
ARABIC SUMMARY	